

### LED Panel 30x120 Flicker Free 6Pcs/box

Power

45W

Light color

Luce fredda



## Technical Specification

|   |                  |                                |                   |
|---|------------------|--------------------------------|-------------------|
| <b>Beam angle</b>                               | 120°             | <b>Instant On</b>              | 0.1s              |
| <b>Brand</b>                                    | Optonica         | <b>Material</b>                | Plastic+Aluminium |
| <b>Color Code</b>                               | 860              | <b>Energy Efficiency Label</b> | E                 |
| <b>Color Designation</b>                        | White Light (WH) | <b>FLUX per watt</b>           | 100 lm/W          |
| <b>Correlated Color Temperature</b>             | 6000K            | <b>Power Factor</b>            | 0.9               |
| <b>Dimmable</b>                                 | No               | <b>Energy Consumption</b>      | 45 kWh/1000h      |
| <b>IP</b>                                       | 20               | <b>Power</b>                   | 45W               |
| <b>Life span</b>                                | 25 000 Hours     | <b>Color Of The Shell</b>      | White             |
| <b>Lumen maintenance at end of service life</b> | 70%              | <b>Flux</b>                    | 4500 lm           |
| <b>On/Off Cycles</b>                            | 25 000x          | <b>Items per pack</b>          | 6 PCS/BOX         |
| <b>Operating Frequency</b>                      | 50-60Hz          | <b>Size of product</b>         | 1195x295x10 mm    |
| <b>Ra ≥</b>                                     | 80               | <b>Product Code</b>            | DL45-A1           |
| <b>Temperature</b>                              | -30°C / +50°C    | <b>Weight of Product</b>       | 2.151 kg.         |
| <b>Warranty</b>                                 | 2 Years          | <b>EAN Code</b>                | 3800156623750     |
| <b>Input voltage</b>                            | AC175-265V       | <b>Light Color</b>             | Luce fredda       |